
Create scheduled job

> This task should be done only by developer administrators.

To create a new scheduled job, you must click on the "**+**" icon on the top right corner. You will be redirected to the "Create new scheduled job form"

> **Scheduled jobs** are **commands**, that are run **in the server's command line**. Since only administrators with access to the code base can see all available commands, scheduled jobs should be added only by those users.



Once a unique name and job's corresponding command are inputted, the **"Cron inverval"** must be defined. This attribute defines the job's regular schedule (when it will run). A job can be run on intervals, ranging from every few minutes to running once a year.

> The **"Last job success"** attribute does not need to be set when creating a new scheduled job. This attribute is updated every time the scheduled job runs and shows, if the last run of the scheduled job was successful.

A job has to be enabled to run on it's regular intervals. If we want to notify the development team of a failed scheduled job, we must enable the **"Notify on fail"** option.

Command parameters

You can pass parameters to any commands with space delimiter. This parameter (argument) will be used in both, a scheduled or on-demand run. Example, where we pass `callClass` parameter in the `command` field:

```
scheduled-job:run-action callClass=App\Containers\ExternalApplication\Actions\BusinessCentral\SyncExpenseEventsFromBcAction
```

Revision #8
Created 2024-05-10 12:04:13 UTC by Admin
Updated 2025-07-29 12:51:43 UTC by Admin